In the claims:

For the convenience of the Examiner, all claims being examined, whether or not amended, are presented below.

Please cancel, without prejudice, claims 9-15.

- 1. (Currently amended) A method of making a cartilaginous prosthesis, comprising seeding a polymeric matrix construct with chondrocytes and contacting the seeded construct with a hydrophobically modified hedgehog polypeptide which binds to patched and activates hedgehog signaling, which hedgehog polypeptide comprises a sequence of a naturally-occurring hedgehog polypeptide or N-terminal autoproteolytic fragment thereof, means for binding patched and thereby activating hedgehog signaling, wherein the seeded construct is contacted with at least 500 ng/ml of said hydrophobically modified hedgehog polypeptide, and wherein said hydrophobically modified hedgehog polypeptide is modified with one or more palmitoyl moieties means.
- 2. (Original) The method of claim 1, wherein the chondrocytes are articular chondrocytes.
- 3. (Currently amended) The method of claim 1/2, wherein the hydrophobically modified means for binding patched and thereby activating hedgehog signaling comprises a naturally occurring hedgehog polypeptide is modified with two palmitoyl moieties.
- 4. (Currently amended) The method of claim 1, wherein the hydrophobically modified means hedgehog polypeptide comprises a dipalmitoyl hedgehog polypeptide.
- 5. (Currently amended) The method of claim 1 or 4, wherein the hydrophobically modified <u>hedgehog polypeptide means</u> is <u>dipalmitoyl</u> di-palmitoyl sonic hedgehog or dipalmitoyl indian hedgehog.
- 6. (Currently amended) The method of claim 1 or 4, wherein the seeded construct is contacted with the dipalmitoyl hedgehog polypeptide at a concentration of at least 500 ng/ml.

- 7. (Currently amended) The method of claim 6, wherein the seeded construct is contacted with the dipalmitoyl sonie hedgehog polypeptide at a concentration of between 500 and 1000 ng/ml, and wherein the hedgehog polypeptide is a sonic hedgehog polypeptide.
- 8. (**Previously presented**) The method of claim 1 or 4, wherein the polymeric matrix is selected from any of polyglycolid acid, collagen, dextran sulfate, polyanhydride, polyorthoester, hyaluronic acid-based polymers, and a glycosaminoglycan.

9-15. (Cancelled)